

SEQUENCE LISTING

(1) GENERAL INFORMATION:

5

10

(i) APPLICANT: Gruys, Kenneth J.

Mitsky, Timothy A.

Kishore, Ganesh M.

Slater, Steven C.

Stater, Steven C.

Padgette, Stephen R.

Stark, David M.

Hinchee, Maud A. W.

Clemente, Thomas E.

Connor-Ward, Dannette V.

15 Fedele, Mary J.

Fry, Joyce E.

Howe, Arlene R.

Rozman, Renee J.

20

(ii) TITLE OF INVENTION: Methods of Optimizing Substrate Pools and Biosynthesis of Poly-B-hydroxybutyrate-co-poly-B-hydroxyvalerate in Bacteria and Plants


(iii) NUMBER OF SEQUENCES: 11


25

- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Gary M. Bond, Monsanto Company, A3SB
 - (B) STREET: 800 North Lindbergh Boulevard
 - (C) CITY: St. Louis
- 30
- (D) STATE: Missouri
- (E) COUNTRY: USA
- (F) ZIP: 63167
- (v) COMPUTER READABLE FORM:
- 35
- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30

	(vi) CURRENT APPLICATION DATA:	
	(A) APPLICATION NUMBER:	
	(B) FILING DATE:	
5	(C) CLASSIFICATION:	
	(vii) PRIOR APPLICATION DATA:	
	(A) APPLICATION NUMBER:	
	(B) FILING DATE: 13-MAR-1996	
10		
	(viii) ATTORNEY/AGENT INFORMATION:	
	(A) NAME: Bond, Gary	
	(B) REGISTRATION NUMBER: 29,283	
	(C) REFERENCE/DOCKET NUMBER: 38-21(13585)A	
15		
	(ix) TELECOMMUNICATION INFORMATION:	
	(A) TELEPHONE: (314)694-3412	
	(B) TELEFAX: (314)695~5435	
20		
20	(2) INFORMATION FOR SEQ ID NO:1:	
	(i) SEQUENCE CHARACTERISTICS:	,
	(A) LENGTH: 1545 base pairs	
25	(B) TYPE: nucleic acid	
	(C) STRANDEDNESS: double	
	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
30		
	A LL GROVENOR PECCENTENTON, CEC IR NO 1	
35	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:	
00	ATGGCTGACT CGCAACCCCT GTCCGGTGCT CCGGAAGGTG CCGAATATTT AAGAGCAGTG	60

[-4





(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

15 (A) LENGTH: 46 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

20 (ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "synthetic DNA"

25

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

TTTTTGGATC CGATATCTTA ACCCGCCAAA AAGAACCTGA ACGCCG

46

30 (2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 37 base pairs

(B) TYPE: nucleic acid

35 (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

35

(A) DESCRIPTION: /desc = "synthetic DNA"

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3: 37 TTTTTGGATC CATGGCTGAC TCGCAACCCC TGTCCGG 10 (2) INFORMATION FOR SEQ ID NO:4: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 44 base pairs (B) TYPE: nucleic acid 15 (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: other nucleic acid (A) DESCRIPTION: /desc = "synthetic DNA" 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4: 25 CAGCTTCGAG TTCCCGGAAT CACCGGGCGC GTTCCTGCGC TTCC 44 (2) INFORMATION FOR SEQ ID NO:5: 30 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1545 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: double (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5: .

5	ATGGCTGACT	CGCAACCCCT	GTCCGGTGCT	CCGGAAGGTG	CCGAATATTT	AAGAGCAGTG	60
	CTGCGCGCGC	CGGTTTACGA	GGCGGCGCAG	GTTACGCCGC	TACAAAAAAT	GGAAAAACTG	120
10	TCGTCGCGTC	TTGATAACGT	CATTCTGGTG	AAGCGCGAAG	ATCGCCAGCC	AGTGCACAGC	180
10	TTTAAGCTGC	GCGGCGCATA	CGCCATGATG	GCGGGCCTGA	CGGAAGAACA	GAAAGCGCAC	240
	GGCGTGATCA	CTGCTTCTGC	GGGTAACCAC	GCGCAGGGCG	TCGCGTTTTC	TTCTGCGCGG	300
15	TTAGGCGTGA	AGGCCCTGAT	CGTTATGCCA	ACCGCCACCG	CCGACATCAA	AGTCGACCGG	360
	CTGCGCGGCT	TCGGÇGGCGA	AGTGCTGCTC	CACGGCGCGA	ACTTTGATGA	AGCGAAACGC	420
	AAAGCGATCG	AACTGTCACA	GCAGCAGGGG	TTCACCTGGG	TGCCGCCGTT	CGACCATCCG	480
20	ATGGTGATTG	CCGGGCAAGG	CACGCTGGCG	CTGGAACTGC	TCCAGCAGGA	CGCCCATCTC	540
	GACCGCGTAT	TTGTGCCAGT	CGGCGGCGGC	GGTCTGGCTG	CTTGCGTGGC	GGTGCTGATC	600
25	 AAACAACTGA	TGCCGCAAAT	CAAAGTGATC	GCCGTAGAAG	CGGAAGACTC	CGCCTGCCTG	660
	AAAGCAGCGC	TGGATGCGGG	TCATCCGGTT	GATCTGCCGC	GCGTAGGGCT	ATTTGCTGAA	720
0.0	GGCGTAGCGG	TAAAACGCAT	CGGTGACGAA	ACCTTCCGTT	TATGCCAGGA	GTATCTCGAC	780
30	GACATCATCA	CCGTCGATAG	CGATGCGATC	TGTGCGGCGA	TGAAGGATTT	ATTCGAAGAT	840
	- GTGCGCGCGG	TGGCGGAACC	CTCTGGCGCG	CTGGCGCTGG	CGGGAATGAA	AAAATATATC	900
35	GCCCTGCACA	ACATTCGCGG	CGAACGGCTG	GCGCATATTC	TTTCCGGTGC	CAACGTGAAC	960
**	TTCCACGGCC	TGCGCTACGT	CTCAGAACGC	TGCGAACTGC	TCGAACAGC	TGAAGCGTTG	. 1020



(2) INFORMATION FOR SEQ ID NO:6:

20

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 65 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

25

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "synthetic DNA"

30

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

35 TATCGCAGCC ACGGCACCGA CTACGGGCGC GTACTGGCGG CGTTCGAATT TGGCGACCAT

GAACC 65

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1545 base pairs

5

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

10

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

15							
10	ATGGCTGACT	CGCAACCCCT	GTCCGGTGCT	CCGGAAGGTG	CCGAATATTT	AAGAGCAGTG	60
	CTGCGCGCGC	CGGTTTACGA	GGCGGCGCAG	GTTACGCCGC	ТАСАААААТ	GGAAAAACTG	120
20	TCGTCGCGTC	TTGATAACGT	CATTCTGGTG	AAGCGCGAAG	ATCGCCAGCC	AGTGCACAGC	180
	TTTAAGCTGC	GCGGCGCATA	CGCCATGATG	GCGGGCCTGA	CGGAAGAACA	GAAAGCGCAC	240
25	GGCGTGATC <u>À</u>	CTGCTTCTGC	GGGTAACCAC	GCGCAGGGCG	TCGCGTTTTC	TTCTGCGCGG	300
2 3	TTAGGCGTGA	AGGCCCTGAT	CGTTATGCCA	ACCGCCACCG	CCGACATCAA	AGTCGACCGG	360
	CTGCGCGGCT	TCGGCGGCGA	AGTGCTGCTC	CACGGCGCGA	ACTTTGATGA	AGCGAAACGC	420
30	AAAGCGATCG	AACTGTCACA	GCAGCAGGGG	TTCACCTGGG	TGCCGCCGTT	CGACCATCCG	480
	ATGGTGATTG	CCGGGCAAGG	CACGCTGGCG	CTGGAACTGC	TCCAGCAGGA	CGCCCATCTC	540
2 =	GACCGCGTAT	TTGTGCCAGT	CGGCGGCGGC	GGTCTGGCTG	CTTGCGTGGC	GGTGCTGATC	600
35	AAACAACTGA	TGCCGCAAAT	CAAAGTGATC	GCCGTAGAAC	G CGGAAGACTC	CGCCTGCCTG	660
	AAAGCAGCGC	TGGATGCGGG	TCATCCGGT	GATCTGCCG	GCGTAGGGCT	T ATTTGCTGAA	720

720

35



	GGCGTAGCGG	TAAAACGCAT	CGGTGACGAA	ACCTTCCGTT	' TATGCCAGGA	GTATCTCGAC	780
5	GACATCATCA	CCGTCGATAG	CGATGCGATC	TGTGCGGCGA	TGAAGGATTT	ATTCGAAGAT	840
	GTGCGCGCGG	TGGCGGAACC	CTCTGGCGCG	CTGGCGCTGG	CGGGAATGAA	AAAATATATC	900
	GCCCTGCACA	ACATTCGCGG	CGAACGGCTG	GCGCATATTC	TTTCCGGTGC	CAACGTGAAC	960
10	TTCCACGGCC	TGCGCTACGT	CTCAGAACGC	TGCGAACTGG	TCGAACAGCG	TGAAGCGTTG	1020
	TTGGCGGTGA	CCATTCCGGA	AGAAAAAGGC	AGCTTCCTCA	AATTCTGCCA	ACTGCTTGGC	1080
15	GGGCGTTCGG	TCACCGAGTT	CAACTACCGT	TTTGCCGATG	CCAAAAACGC	CTGCATCTTT	1140
	GTCGGTGTGC	GCCTGAGCCG	CGGCCTCGAA	GAGCGCAAAG	AAATTTTGCA	GATGCTCAAC	1200
	GACGGCGGCT	ACAGCGTGGT	TGATCTCTCC	GACGACGAAA	TGGCGAAGCT	ACACGTGCGC	1260
20	TATATGGTCG	GCGGACGTCC	ATCGCATCCG	TTGCAGGAAC	GCCTCTACAG	CTTCGAATTC	1320
	CCGGAATCAC	CGGGCGCGCT	GCTGCGCTTC	CTCAACACGC	TGGGTACGTA	CTGGAACATT	1380
25	TCTTTGTTCÇ	ACTATCGCAG	CCACGGCACC	GACTACGGGC	GCGTACTGGC	GGCGTTCGAA	1440
	TTTGGCGACC	ĄTGAACCGGA	TTTCGAAACC	CGGCTGAATG	AGCTGGGCTA	CGATTGCCAC	1500
	GACGAAACCA	ATAACCCGGC	GTTCAGGTTC	TTTTTGGCGG	GTTAA		1545

$30\,$ (2) information for SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1545 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)



5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

	ATGGCTGACT	CGCAACCCCT	GTCCGGTGCT	CCGGAAGGTG	CCGAATATTT	AAGAGCAGTG	60
10	CTGCGCGCGC	CGGTTTACGA	GGCGGCGCAG	GTTACGCCGC	ТАСАААААТ	GGAAAAACTG	120
	TCGTCGCGTC	TTGATAACGT	CATTCTGGTG	AAGCGCGAAG	ATCGCCAGCC	AGTGCACAGC	180
	TTTAAGCTGC	GCGGCGCATA	CGCCATGATG	GCGGGCCTGA	CGGAAGAACA	GAAAGCGCAC	240
15	GGCGTGATCA	CTGCTTCTGC	GGGTAACCAC	GCGCAGGGCG	TCGCGTTTTC	TTCTGCGCGG	300
	TTAGGCGTGA	AGGCCCTGAT	CGTTATGCCA	ACCGCCACCG	CCGACATCAA	AGTCGACCGG	360
20	CTGCGCGGCT	TCGGCGGCGA	AGTGCTGCTC	CACGGCGCGA	ACTTTGATGA	AGCGAAACGC	420
	AAAGCGATCG	AACTGTCACA	GCAGCAGGGG	TTCACCTGGG	TGCCGCCGTT	CGACCATCCG	480
	ATGGTGATTG	CCGGGCAAGG	CACGCTGGCG	CTGGAACTGC	TCCAGCAGGA	CGCCCATCTC	540
25	GACCGCGTAT	TTGTGCCAGT	CGGCGGCGGC	GGTCTGGCTG	CTTGCGTGGC	GGTGCTGATC	600
	AAACAACTGA	TGCCGCAAAT	CAAAGTGATC	GCCGTAGAAG	CGGAAGACTC	CGCCTGCCTG	660
30	AAAGCAGCGC	TGGATGCGGG	TCATCCGGTT	GATCTGCCGC	GCGTAGGGCT	ATTTGCTGAA	720
	GGCGTAGCGG	TAAAACGCAT	CGGTGACGAA	ACCTTCCGTT	TATGCCAGGA	GTATCTCGAC	780
	GACATCATCA	CCGTCGATAG	CGATGCGATC	TGTGCGGCGA	TGAAGGATTT	ATTCGAAGAT	840
35	GTGCGCGCGG	TGGCGGAACC	CTCTGGCGCG	CTGGCGCTGG	CGGGAATGAA	AAAATATATC	900
	GCCTGCACA	ACATTCGCGG	CGAACGGCTG	GCGCATATTC	TTTCCGGTGC	CAACGTGAAC	960

25





-269-

	TTCCACGGCC	TGCGCTACGT	CTCAGAACGC	TGCGAACTGG	TCGAACAGCG	TGAAGCGTTG	1020
	TTGGCGGTGA	CCATTCCGGA	AGAAAAAGGC	AGCTTCCTCA	AATTCTGCCA	ACTGCTTGGC	1080
5	GGGCGTTCGG	TCACCGAGTT	CAACTACCGT	TTTGCCGATG	CCAAAAACGC	CTGCATCTTT	1140
	GTCGGTGTGC	GCCTGAGCCG	CGGCCTCGAA	GAGCGCAAAG	AAATTTTGCA	GATGCTCAAC	1200
10	GACGGCGGCT	ACAGCGTGGT	TGATCTCTCC	GACGACGAAA	TGGCGAAGCT	ACACGTGCGC	1260
10	TATATGGTCG	GCGGACGTCC	ATCGCATCCG	TTGCAGGAAC	GCCTCTACAG	CTTCGAGTTC	1320
	CCGGAATCAC	CGGGCGCGTT	CCTGCGCTTC	CTCAACACGC	TGGGTACGTA	CTGGAACATT	1380
15	TCTTTGTTCC	ACTATCGCAG	CCACGGCACC	GACTACGGGC	GCGTACTGGC	GGCGTTCGAA	1440
	TTTGGCGACC	ATGAACCGGA	TTTCGAAACC	CGGCTGAATG	AGCTGGGCTA	CGATTGCCAC	1500
20	GACGAAACCA	ATAACCCGGC	GTTCAGGTTC	TTTTTGGCGG	GTTAA		1545
-							

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1185 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

30 (ii) MOLECULE TYPE: DNA (genomic)

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:





-270-

	AGCCTGAAGG	ATGTGGCACC	GGCGGAGCTG	GGCGCACTGG	TGGTGCGCGA	GGCGCTGGCG	120
	CGCGCGCAGG	TGTCGGGCGA	CGATGTCGGC	CACGTGGTAT	TCGGCAACGT	GATCCAGACC	180
5	GAGCCGCGCG	ACATGTATCT	GGGCCGCGTC	GCGGCCGTCA	ACGGCGGGGT	GACGATCAAC	240
	GCCCCGCGC	TGACCGTGAA	CCGCCTGTGC	GGCTCGGGCC	TGCAGGCCAT	TGTCAGCGCC	300
10	GCGCAGACCA	TCCTGCTGGG	CGATACCGAC	GTCGCCATCG	GCGGCGGCGC	GGAAAGCATG	360
10	AGCCGCGCAC	CGTACCTGGC	GCCGGCAGCG	CGCTGGGGCG	CACGCATGGG	CGACGCCGGC	420
	CTGGTCGACA	TGATGCTGGG	TGCGCTGCAC	GATCCCTTCC	ATCGCATCCA	CATGGGCGTG	480
15	ACCGCCGAGA	ATGTCGCCAA	GGAATACGAC	ATCTCGCGCG	CGCAGCAGGA	CGAGGCCGCG	540
	CTGGAATCGC	ACCGCCGCGC	TTCGGCAGCG	ATCAAGGCCG	GCTACTTCAA	GGACCAGATC	600
20	GTCCCGGTGG	TGAGCAAGGG	CCGCAAGGGC	GACGTGACCT	TCGACACCGA	CGAGCACGTG	660
	CGCCATGACG	CCACCATCGA	CGACATGACC	AAGCTCAGGC	CGGTCTTCGT	CAAGGAAAAC	720
	GGCACGGTCA	CGGCCGGCAA	TGCCTCGGGC	CTGAACGACG	ccgccgccgc	GGTGGTGATG	780
25	ATGGAGCGCG	CCGAAGCCGA	GCGCCGCGGC	CTGAAGCCGC	TGGCCCGCCT	GGTGTCGTAC	840
	GGCCATGCCG	GCGTGGACCC	GAAGGCCATG	GGCATCGGCC	CGGTGCCGGC	GACGAAGATC	900
30	GCGCTGGAGC	GCGCCGGCCT	GCAGGTGTCG	GACCTGGACG	TGATCGAAGC	CAACGAAGCC	960
	TTTGCCGCAC	AGGCGTGCGC	CGTGACCAAG	GCGCTCGGTC	TGGACCCGGC	CAAGGTTAAC	1020
	CCGAACGGCT	CGGGCATCTC	GCTGGGCCAC	CCGATCGGCG	CCACCGGTGC	CCTGATCACG	1080
35	GTGAAGGCGC	TGCATGAGCT	GAACCGCGTG	CAGGGCCGCT	ACGCGCTGGT	GACGATGTGC	1140
	ATCGGCGGCG	GGCAGGGCAT	TGCCGCCATC	TTCGAGCGTA	TCTGA		1185



-271-

	(2) INFORMATION FOR SEQ ID NO:10:
5	(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 15 amino acids(B) TYPE: amino acid(C) STRANDEDNESS:
10	(D) TOPOLOGY: linear (ii) MOLECULE TYPE: protein
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10: Thr Arg Glu Val Val Val Ser Gly Val Arg Thr Ala Ile Gly
20	1 5 10 15 (2) INFORMATION FOR SEQ ID NO:11: (i) SEQUENCE CHARACTERISTICS:
25	(A) LENGTH: 394 amino acids(B) TYPE: amino acid(C) STRANDEDNESS:(D) TOPOLOGY: linear(ii) MOLECULE TYPE: protein
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:
35	Met Thr Arg Glu Val Val Val Ser Gly Val Arg Thr Ala Ile Gly 1 5 10 15 Thr Phe Gly Gly Ser Leu Lys Asp Val Ala Pro Ala Glu Leu Gly Ala

25

30

. 20



-272-

	Leu	ı Val	. Val	. Arg	Glu	Ala	Leu	Ala 40	a Arg	, Ala	Gln	Val	Ser 45	Gly	Asp	Asp
5	Val	Gly	His	Val	Val	Phe	Gly 55	Asn	Val	Ile	Gln	Thr	Glu	Pro	Arg	Asp
10	Met 65	Tyr	Leu	Gly		Val 70	Ala	Ala	Val	Asn	Gly 75	Gly	Val	Thr	Ile	Asn 80
	Ala	Pro	Ala	Leu	Thr 85	Val	Asn	Arg	Leu	Cys 90	Gly	Ser	Gly	Leu	Gln 95	Ala
15	Ile	Val	Ser	Ala 100	Ala	Gln	Thr	Ile	Leu 105	Leu	Gly	Asp	Thr	Asp	Val	Ala
	Ile	Gly	Gly 115	Gly	Ala	Glu	Ser	Met 120	Ser	Arg	Ala	Pro	Туг 125	Leu	Ala	Pro
20	Ala	Ala 130	Arg	Trp	Gly	Ala	Arg 135	Met	Gly	Asp		Gly 140	Leu	Val	Asp ··	Met
25	Met 145	Leu	Gly	Ala		His 150	Asp [.]	Pro	Phe		Arg 155	Ile	His	Met	Gly	Val 160
	Thr	Ala	Glu	Asn	Val 165	Ala	Lys	Glu	Tyr	Asp 170	Ile	Ser	Arg	Ala	Gln 175	Gln
30	Asp	Glu	Ala	Ala 180	Leu	Glu	Ser	His	Arg 185	Arg	Ala.	Ser	Ala	Ala 190	Ile	Lys
· .	Ala	Gly	Tyr 195	Phe	Lys	Asp.	GĨn	Ile 200	Val	Pro	Val	Val	Ser 205	Lÿs	Gly	Arg
35	Lys	Gly 210	Asp	Val	Thr	Phe	Asp 215	Thr	Asp	Glu	His	Val 220	Arg	His	Asp	Ala
	Thr	Ile	Asp	Asp	Met	Thr	Lys	Leu	Arg	Pro	Val	Phe	Val	Lys	Glu	Asn



-273-

	225	i				230					235					240
	Gly	Thr	Val	Thr	Ala 245	Gly	Asn	Ala	Ser	Gly 250	Leu	Asn	Asp	Ala	Ala 255	Ala
5	Ala	Val	Val	Met 260	Met	Glu	Arg	Ala	Glu 265	Ala	Glu	Arg	Arg	Gly 270	Leu	Lys
10	Pro	Leu	Ala 275	Arg	Leu	Val	Ser	Tyr 280	Gly	His	Ala	Gly	Val 285	Asp	Pro	Lys
	· Ala	Met 290	Gly	Ile	Gly	Pro	Val 295	Pro	Ala	Thr	Lys	Ile 300	Ala	Leu	Glu	Arg
15	Ala 305	Gly	Leu	Gln	Val	Ser 310	Asp	Leu	Asp	Val	Ile 315	Glu	Ala	Asn	Glu	Ala 320
0.0	Phe	Ala	Ala	Gln	Ala 325	Cys	Ala	Val	Thr	Lys 330	Ala	Leu	Gly	Leu	Asp 335	Pro
20	Ala	Lys	Val	Asn 340	Pro	Asn	Gly	Ser	Gly 345	Ile	Ser	Leu	Gly	His 350	Pro	Ile
25	Gly	Ala	Thr 355	Gly	Ala	Leu	Ile	Thr 360	Val	Lys	Ala	Leu	His 365	Glu	Leu	Asn
	Arg	Val 370	Gln	Gly	Arg	Tyr	Ala 375	Leu	Val	Thr	Met	Cys 380	Ile	Gly	Gly	Gly
30	Gln 385	Gly	Ile	Ala	Ala	Ile 390	Phe	Glu	Arg	īle						